



Quick Guide

EPM Enterprise Print Manager

English

10520-02

MPI Tech is a global vendor of workflow and output management solutions with distribution worldwide. MPI Tech develops and markets a world-leading portfolio of technologies and products for unique Document Management and Printing solutions.

MPI Tech operates in most of the world through sales and support offices and partners.

Reading the documentation

Full system requirements and the complete installation procedures for EPM (Enterprise Print Manager) are provided in EPM **Installation and Customization Reference**, document number 13070.

The EPM documentation is contained on the CD "Mainframe Software Documentation and Facility Programs" supplied in Acrobat PDF format. It is also contained on the cartridge/ tape supplied in both AFPDS format and 1403 line data (text) format.

In addition, the most up-to-date version of the documentation is always available from our web site (logon/password required).

Manuals in PDF

1. Insert the CD into your CD drive.
The CD automatically launches your web browser.
2. Click **Manuals** to find all relevant documentation.

Manuals in AFPDS and 1403 line data

Note: If you wish to print the AFP version of the Installation Guide you must have access to IBM Compatibility font set.

To read this documentation, you must first **load the tape** (see the following page).

Loading the tape

The first file on the tape contains an IEBGENER JCL that can be used to load the required files and create the installation libraries. A sample JCL is indicated here to assist in obtaining the IEBGENER load JCL:

```
//S1 EXEC PGM=IEBGENER
//SYSUT1 DD DISP=OLD,DSN=IDATA.SL1,
//    LABEL=(1,SL),UNIT=TAPE,
//    VOL=(PRIVATE,RETAIN,SER=IDATA)
//*
//SYSUT2 DD DISP=(NEW,CATLG,DELETE),
//    DSN=&DSN.JCLLIB(LOADEPM),
//    SPACE=(TRK,(20,20,28)),UNIT=DISK,
//    VOL=SER=XXXXXX
//*
//SYSIN DD DUMMY
//SYSPRINT DD SYSOUT=*
/*
```

The LOADEPM JCL contained in tape file one should be customized according to your installation standards, and can subsequently be executed to read all necessary files from the product tape.

The EPM documentation can be found in the following libraries:
LIST3820: Documentation in AFPDS format
MEMO: Documentation in 1403 linedata format

Support

For technical support, please direct all information to:

Denmark

Phone: +45 4436 6000

E-mail: support.dk@mpitech.com

France

Phone: +33 (0) 1 4573 0940

E-mail: support.fr@mpitech.com

North America (East coast)

Phone: +1 (703) 531 1940

E-mail: support.us@mpitech.com

North America (West coast)

Phone: +1 (714) 840 8077

E-mail: support.us@mpitech.com

United Kingdom

Phone: +44 (0) 1344 891 008

E-mail: support.uk@mpitech.com

Germany

Phone: +49 (0) 89 35 4762 - 30

E-mail: support.de@mpitech.com

This page is intentionally left blank

This page is intentionally left blank

This page is intentionally left blank

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio Communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- *Reorient or relocate the receiving antenna.*
- *Increase the separation between the equipment and receiver.*
- *Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.*
- *Consult the dealer or an experienced radio/TV technician for help.*

CAUTION:

Only use this product with a Class 2 Direct Plug-In Transformer rated 12 Vdc minimum 0.7 A.

Changes or modifications not expressly approved by MPI Tech could void the user's authority to operate this equipment according to part 15 of the FCC rules.

CE conformance

This product has been developed and produced in accordance with the EMC directive and the Low Voltage directive and therefore carries the CE mark.

Company and product names mentioned in this guide are trademarks or registered trademarks of their respective owners.

MPI Tech A/S

Vadstrupvej 35

DK-2880 Bagsvaerd

Denmark

Phone: +45 4436 6000 - Fax: +45 4436 6111

www.mpitech.com